OOK

	Depth 6	Contents 7	Reference to last Measure 8

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494764

From..... To.....

Name and nature of Agency ... Sri. chethan. c

Date of commencement of work .....

Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
	Number 3	Length 4	Breadth 5	Depth 6	7	8
Name of work :- Maintenance of BBMP Buildings in ward no9 (vidyaranyapura vidyaranyapura sub-division.						
Work order No :- BBMP/EE/BTP/WO/111/2019-20. dated 19/10/2019						
Job code :- 009-18-000022						
Head of account :- P1771						
Approved price :- 1172921.00						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Refer to Measure
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
Item 1	Earthwork excavation in ordinary soil for leveling and conveying the ground manually and removing the excavated earth stuff to a distance not less than 50m. and lift up to 1.5m excavated surface levelled neatly dressed after breaking of clods complete as per specification. pre measurment recorded qty vide page no 49 of this MB					12.58 cum Rate at Rs 162.08/cum	2039=0
Item 2	Earth work excavation for foundations of buildings, water supply sanitory lines and electric conduits either in pits or in trenches 1.5m odd above in width in ordinary soil not exceeding 1.5m depth including dressed the bottom and sides of pits and trenches. stacking the excavated soil clear from edges of excavation. pre measurment recorded qty vide page no 49 of this MB					4796 of 8.59 cum Rate at Rs 195.12/cum	1676=0

OK

Depth. 6	Contents 7	Reference to last Measurement 8
ng and covering earth stuff to a arated surface complete as per		
494796	12.58 cum	2039=00
ings. water supply g & in trenches eading 1.5m depth renches. stacking the		
no 494796 of	8.59 cum	1676=00
12/cum		

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494765

..... From..... To.....

Name of Agency .....

Name of work .....

Description, etc. of work	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
Providing and laying in position plain cement concrete of mix 1:3:6, opc cement at 180kgs. with 40mm and down size graded hard stone coarse aggrigate at 0.54 cum and fine aggrigate 0.57 cum						
Toilet long wall	2	4.30	0.90	0.15	1.16	
Toilet side wall	3	1.40	0.90	0.15	0.57	
Flooring	1	1.80	1.50	0.15	0.41	
	1	1.65	1.50	0.15	0.37	
Toilet altsound Concrete	1	5.00	1.20	0.15	0.90	
	1	6.00	1.50	0.15	1.35	
	1	7.00	2.00	0.15	2.10	
	1	10.00	4.00	0.15	6.00	
	1	27.00	3.00	0.15	12.15	
	2	15.00	2.00	0.15	9.00	
				Total	34.00 cum	
				Qty Limited	33.74 cum	169529=00

AC No. 09
16/12/19

Rate at Rs 5024.56/cum

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
Item 4	providing and constructing granite / trap / basalt size stone masonry in foundation with cement mortar 1:6. stone hammered dressed in course not less than 20cm high. bond stone at 2m apart						
	Toilet long wall	2	4.15	0.75	0.60	3.74	
		3	1.40	0.75	0.60	1.89	
					Total	4.77	
		Rate at Rs 4322.54/cum					20619=00
Item 5	providing and constructing granite / trap / size stone masonry in basement with cement mortar 1:6 edges of stone chisele dressed in course not less than 15cm high						
		2	4.00	0.45	0.45	1.62	
		3	1.50	0.45	0.45	0.91	
		Qty limited to			Total	2.53	
						2.15	
		Rate at Rs 5167.02/cum					11109=00

16/12/19

Contents	Reference to last Measurement
7	8
...one masonry ...essed in	
3.74 1.89	
4.77	20619=00
...asonry in dressed	
1.62 0.91	
2.53 2.15	11109=00

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494766

..... From..... To.....

Nature of Agency .....

Description, etc, of work .....

Description, etc, of work	Number	Length	Breadth	Depth	Contents	Reference to last Measurement
	3	4	5	6	7	8
...and laying cement concrete using 20mm and down size ...te aggregate and fine aggregate of ready mixed concrete ...ll RCC works laid in 15cm thick						
...th roller plinth	2	4.05	0.20	0.30	0.49	
(b) Lintel	3	1.50	0.20	0.30	0.27	
	2	4.05	0.20	0.15	0.24	
	3	1.50	0.20	0.15	0.14	
Roof slab	1	4.05	1.85	0.15	1.12	
Front	1	1.80	1.80	0.15	0.49	
				Total	2.74 cum	
		Qty limited to			2.68 cum	
NR W-09		Rate at Rs	6069.32/cum			16266=00

16/12/2014

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
Item 7	Filling of available earth (excluding rock) in sides of foundation upto plinth in layers not exceeding 20cms. in depth compacting each deposited layer by ramming after watering						
	Qty same as item (6)					8.59 cum	
	Rate at Rs 131.11/cum						1126=00
Item 8	providing and constructing load bearing wall with solid concrete blocks of size 400x200x200 mm having block density not less than 1800 kg/m³ and having minimum average strength						
	Long wall	2	9.05	~~2.40~~	2.40	19.44	
	Cross wall	3	1.50	–	2.40	10.80	
	parapet wall	2	9.05	–	0.30	2.43	
		2	1.50	–	0.30	0.90	
						33.57	
	Deductions	2	0.75	–	2.10	3.15	
		1	12.46	–	0.15	1.87	
		2	0.60	–	0.45	0.54	
					(–)	5.56	
					Qty Limited to	28.01 / 24.66	23874=00
	AE WDG 16/12/19				Rate at Rs 967.33/cum		

pth 6	Contents 7	Reference to last Measure 8
f foundation mpacting each		
	8.59 cum	1126=00
salid Concrete ut less than		
.40	19.44	
40	10.80	
30	2.43	
30	0.90	
	33.57	
0	3.15	
5	1.87	
5	0.54	
)	5.56	
	28.01	
	24.68	23874=0

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494767

..... From..... To.....

Name of Agency .....

Name of work .....

Description, etc, of work	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
Steel reinforcement for RCC work including straightening bending hooking placing in position. Lapping. and/or wherever required tying with binding wire						
Measurement recorded Qty vide page no 494796/1 of this MB					0.27 TONE	
		Rate at Rs 62568.97/TONE				16894=00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measure
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
Item 10	providing and laying integral cement based waterproofing treatment including preparation of surface as required for treatment of roofs, balconies, terrace etc. consisting of following application						
	Toilet	1	4.05	1.85	-	7.49	
	Ward office	1	10.00	15.00	-	150.00	
		1	5.00	3.00	-	15.00	
		1	3.20	3.00	-	9.60	
		1	6.10	5.80	-	35.38	
		1	6.10	4.50	-	27.45	
		1	4.00	3.00	-	12.00	
		1	6.30	8.80	-	55.44	
		1	7.00	7.00	-	49.00	
					Total	361.36	Sqm
			Qty limited to			360.87	
			Rate @ Rs 933.27/				336789

AE ND-09
16/12/2019

OOK

Depth 6	Contents 7	Reference to last Measure 8
	alterproofing treatment	
	for treatment of	
	covering application	
-	7.49	
-	150.00	
-	15.00	
-	9.60	
-	35.38	
-	27.45	
-	12.00	
-	55.44	
-	49.00	
Total	361.36 Sqm	
	360.87	
		336789

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494768

From..... To.....

Name of Agency .....

Name of work .....

For description, etc, of work	Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
12 mm thick cement plaster in single coat with cement finishing including rounding off corners wherever required (Toilet)						
	1	1.80	1.50	-	2.70	
	1	1.65	1.50	-	2.48	
	3	1.20	1.50	-	5.40	
	2	3.50	2.00	-	14.00	
	2	7.40	3.36	-	49.73	
	1	3.50	2.00	-	7.00	
	2	2.20	1.80	-	7.92	
	1	3.10	1.60	-	4.96	
	1	4.50	1.80	-	8.10	
	1	4.00	2.20	-	8.80	
	2	3.20	2.00	-	12.80	
	1	2.50	2.00	-	5.00	
				Total	128.88	
				to	128.53	28927=00

AE W-09
10/12/19

Qty Limited
Rate at Rs 225.06/sqm

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Refer to le Measur
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
item 10-12	providing 18mm thick cement plaster in single coat with cement mortar 1:4 to brick masonry including rounding of corners wherever required smooth rendering. providing toilet plastering						
		4	1.50	2.40	-	14.40	
		2	1.80	2.40	-	8.64	
	ward office	2	1.65	2.40	-	7.92	
		1	2.90	2.75	-	7.98	
		1	2.10	1.90	-	3.99	
		2	3.50	2.20	-	15.40	
		1	4.20	2.50	-	10.50	
		1	4.00	2.80	-	11.20	
		1	2.30	2.00	-	4.60	
		1	3.50	2.20	-	7.70	
		1	1.85	1.30	-	2.41	
		2	2.00	2.00	-	8.00	
		1	4.00	1.80	-	7.20	
	Govt school	1	4.20	2.90	-	12.18	

DK

Depth 6	Contents 7	Reference to last Measure 8
with cement mortar wherever required		
-	19.40	
-	8.64	
-	7.92	
-	7.98	
-	3.99	
-	15.40	
-	10.50	
-	11.20	
-	4.60	
-	7.70	
-	2.31	
-	8.00	
-	7.20	
-	12.18	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494769

..... From..... To.....

..... of nature of Agency .....

..... of work .....

Description, etc, of work	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
Rubble soling Cement	2	4.00	2.80	-	22.40	
	1	2.30	3.20	-	7.36	
	1	3.50	3.50	-	12.25	
	1	1.60	1.80	-	2.28	
	2	2.20	2.60	-	11.44	
	1	3.50	2.20	-	7.70	
				Total	238.03	
	Qty limited to					
Deductions of doors & Windows					1.58	
	0.5×2	0.75	2.10	-	0'27	
	0.5×2	0.60	0.45	-		
				(-)	1.85	
					236.19	
	Qty limited to				236.11	53868=00
	Rate at Rs 228.15/sqm					

16/12/19

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Ref. to Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
Item-13	providing 18mm thick cement plaster in single coat with cement mortar 1:6 to brick masonry including rounding of corners.						
	NEW TOILET	1	4.03	2.85	-	11.49	
		2	1.85	2.40	-	8.88	
					Total	20.37	
	Deductions D & V	0.5x2	0.75	2.10	-	1.58	
		0.5x2	0.60	0.45	-	0.27	
					(-)	1.85	
						18.52	
			Qty Limited to			15.95	
	Rate at Rs 204.41/sqm						3260=00
	AE N09 16/9/2019						

BOOK

ns		Contents	Refere to la Measure
adth 5	Depth 6	7	8
oof with corner			
g of cornices.			
85	-	11.49	
40	-	8.88	
	Total	20.37	
10	-	1.58	
45	-	0.27	
	(-)	1.85	
		18.52	
ed to		15.95	
41/sqm			3260=00

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494770

..... From..... To.....

Name of Agency .....

Name of work .....

For description, etc, of work	Dimensions				Contents	Reference to last Measurement
	Number 3	Length 4	Breadth 5	Depth 6	7	8
Providing and removing Centring Shuttering. Strutting proofing etc. and doing all the work for flat surface such as suspended floors. roofs. Landings Balconies and like.						
Roof	1	1.80	1.50	—	2.70	
	1	1.65	1.50	—	2.48	
Sides	1	4.03	-	0.20	0.81	
	2	1.85	-	0.20	0.74	
	1	1.80	1.60	-	2.88	
					9.60	
			Qty Limited to		9.18	
AE N-09 16/12/2019		Rate of Rs 396.93/Sqm				3639=00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Refer to Measur
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
Item-16	providing and fixing 1mm THICK M.S sheet garage door with frame and diagonal braces of side 40x40x6 mm angle iron 3.15mm THICK M.S Gusset plate at the junctions & Complete						
		2	0.75	-	2.10	3.15	
		1	1.20	-	2.10	2.52	
		3	1.20	-	2.10	7.56	
						13.23	
				Qty limited to		12.29	29588 =
	AE N-09 16/12/19			Rate at Rs 2407.49/sqm			
Item-15	providing and removing centering shuttering, striking, propping etc. and removal of form work for sides and soffits of beams, beam haunching.						
	Lintel	2x2	3.80	-	0.20	3.04	
		2x3	1.50	-	0.20	1.80	
	Plinth	2x2	3.80	-	0.15	2.28	
	All around plinth	2x3	1.50	-	0.15	1.35	
						8.47	
				Qty limited to		7.42	1961 = 00
	AE N-09 16/12/19			Rate at Rs 264.29/sqm			

K

	Contents	Refere to la Measur
epth 6	7	8
Se with frame 3.15mm THICK		
10	3.15	
10	2.52	
10	7.56	
	13.23	
	12.29	2958 = 00
ting, pooping of beams, bean		
20	3.04	
20	1.80	
15	2.28	
15	1.35	
	8.47	
	7.42	1961 = 00

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494771

..... From..... To.....

Name of Agency .....

Name of work .....

Description, etc. of work	Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
Fixing & fixing in position in Cement Concrete 1:3:6 steel glazed ventilators side hung/top hung fully openable as per drawing - using 2 angles of 25x33x3mm. weighing						
	2	0.60	-	0.45	0.54	
	1	0.90	-	1.20	1.08	
	2	1.20	-	1.20	2.88	
	2	0.90	-	1.20	2.16	
				Total	6.66	
		Qty limited		to	6.48	
	Rate at Rs	3644.27/sqm				23615 = 00

AC 10-09
16/12/19

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
Item-18	providing and applying two coats with all bound washable distempers of approved brand and shade on wall surface including primer coat with distempers primer						
	Celling Anganavadi	1	4.20	3.00	-	12.60	
		1	4.00	3.00	-	12.00	
	help paint	1	2.50	3.10	-	8.68	
		1	6.10	4.50	-	27.45	
	word office	1	6.10	6.00	-	36.60	
		1	3.30	3.80	-	12.54	
		1	8.00	5.00	-	40.00	
		1	5.90	2.40	-	14.16	
		1	2.20	3.00	-	6.60	
		1	7.00	4.00	-	28.00	
		1	7.60	7.60	-	57.76	
		1	2.80	3.90	-	10.92	

pth 6	Contents 7	Refer to la Measur 8
was lable		
face including		
-	12.60	
-	12.00	
-	8.68	
-	27.45	
-	36.60	
-	12.54	
-	40.00	
-	14.16	
-	6.60	
-	28.00	
-	57.76	
-	10.92	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494772

..... From..... To.....

Nature of Agency .....

Name of work .....

Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
	Number	Length	Breadth	Depth		
	3	4	5	6	7	8
	1	6.10	3.90	-	10.92	
	1	3.30	3.80	-	12.54	
Arganavadi	2	4.20	3.00	-	25.20	
	2	4.00	3.00	-	24.00	
	4	4.00	3.00	-	48.00	
help part	4	3.00	3.00	-	36.00	
	2	6.10	3.00	-	36.60	
	2	4.50	3.00	-	27.00	
	2	3.00	3.00	-	18.00	
	2	2.50	3.00	-	15.00	
office	2	4.00	3.00	-	24.00	
	2	3.00	3.00	-	18.00	
	2	2.00	3.00		12.00	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Ref. to Measu.
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		2	7.20	3.00	-	43.20	
		2	5.60	3.00	-	33.60	
		1	1.50	3.00	-	4.50	
		2	~~2.50~~ 6.10	3.00	-	~~15.00~~ 36.60	
		2	6.00	3.00	-	36.00	
		2	3.60	3.00	-	21.60	
		2	8.00	3.00	-	48.00	
		2	5.50	3.00	-	30.00	
		2	4.20	3.00	-	25.20	
		2	7.00	3.00	-	42.00	
					Total	1254.53	
	Deductions of D & W	10	0.90	2.10		18.90	
		18	0.90	1.20		19.44	
					(-)	38.34	
						1216.19	
	Rate as per Agt limited to ₹ 3.30/Sqm					1214.31	89009

16/12/19

pth 6	Contents 7	Refer to l Measu 8
	43.20	
	23.60	
	4.50	
	~~45.00~~ 36.60	
	36.00	
	21.60	
	48.00	
	30.00	
	25.20	
	42.00	
al	1254.53	
	18.90	
	19.44	
-)	38.34	
	1216.19	
	1214.31	89009 =

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494773

..... From..... To.....

..... of Agency .....

..... of work .....

Description, etc., of work	Dimensions				Contents	Reference to last Measurement
	Number 3	Length 4	Breadth 5	Depth 6	7	8
finishing external walls in ~~two~~ two coats with water proof cement paint of approved brand and shade to give an even shade after thoroughly broomering the surface to remove all dirt and loose material.						
	2	6.40	3.70	-	45.88	
	2	10.60	3.70	-	78.44	
	2	6.50	3.70	-	48.10	
	2	5.10	3.70	-	37.74	
	2	6.50	3.70	-	48.10	
	2	10.20	3.70	-	75.48	
Approved building	Qty same as item no (14)				18.52	
Flat building	2	8.40	3.70	-	62.16	
	2	7.40	3.70	-	54.76	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to Measurement Book
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	ward office	~~2~~	~~7.40~~	~~3.70~~	-	~~54.76~~	
		~~2~~	~~4.40~~	~~3.70~~	-	32.56	
		~~2~~	~~7.60~~	3.70	-	~~56.24~~	
		2	6.00	3.75	-	45.00	
						657.74	
		Qty limited to				654.57	56764
		Rate at Rs 86.72/ sqm					
Item-20	providing flooring with 25mm to 40mm thick polished cudapa slabs using cement mortar 1:6 25mm thick over existing cement concrete bed at top of roof laid to line and level and jointed with cement slurry						
		1	5.90	2.00	-	11.80	
					Total	11.80	
		Rate at Rs 1141.00/sqm					13473

AE W-09
16/12/19

AE W-09
16/12/19

Contents	Reference to last Measurement
7	8
51.70	
32.56	
56.24	
45.00	
657.74	
654.57	56764=00
dapa slabs	
ment	
jainer with	
11.80	
11.80	
	13473=00

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494774

..... From..... To.....

Nature of Agency .....

Name of work .....

Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
	Number	Length	Breadth	Depth	7	8
	3	4	5	6		
Providing and laying red oxide flooring 40mm thick with an under bed of 50mm thick M-15 cement concrete using broken granite stone 10mm normal size and top layer of 10mm thick plaster of cement mortar with red oxide						
	1	6.10	5.80	-	35.80	
	1	7.20	5.60	-	40.32	
				Total	75.70 Sqm	
		Rate at Rs 596.71/Sqm				45171=00

AE W-09
16/12/19

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Ref. to Measu.
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
Item 22	Providing and applying painting two coats (excluding priming coat) on new wood surface and / or wood based surface with external paint to give an even shade. cleaning of all foreign matter						
	Doors Windows	10	0.90	2.10	2.25	42.53	
		18	0.90	1.20	2.25	43.73	
	Anganavadi building	2	6.10	0.90	-	10.98	
		2	5.80	0.90	-	10.44	
	help paint	1	6.50	0.90	-	5.85	
		2	6.10	0.90	-	10.98	
		2	4.50	0.90	-	8.10	
		2	8.00	0.90	-	14.40	
		2	5.00	0.90	-	9.00	
	Govt school building	1	5.90	0.90	-	5.31	
		2	8.00	0.90	-	14.40	
		2	5.00	0.90	-	9.00	

OK

Depth 6	Contents 7	Reference to last Measurement 8
ng pointing cost external point		
2.25	42.53	
2.25	43.73	
-	10.98	
-	10.44	
-	5.85	
-	10.98	
-	8.10	
-	14.40	
-	9.00	
-	5.31	
-	14.40	
-	9.00	

M. A. R. 57 (Rule 116)
Measurement Book

No. B
494775

..... From..... To.....

..... Nature of Agency .....

..... Description of work .....

Description, etc. of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	1	5.90	0.90	-	5.31	
	2	7.00	0.90	-	12.60	
	2	4.00	0.90	-	7.20	
	2	3.00	0.90	-	5.40	
	2	2.00	0.90	-	3.60	
	2	7.20	0.90	-	12.96	
	2	5.60	0.90	-	10.08	
				TOTAL	241.88 Sqm	
		RATE AT @ $6.72/ Sqm				20975=60

MCOD RE W-09

14/12/19

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Ref. to Measu.
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
	Item-22 providing skirting, dado, risers of steps with colour glazed tiles on 10 mm thick cement plaster 1:3 and jointed with white cement slurry over rough plaster surface						
	for new toilet	1	1.65	1.55	-	2.56	
		3	1.50	2.10	-	9.45	
	Existing toilet	2	1.20	2.10	-	5.04	
		2	1.50	2.10	-	6.30	
		2	1.90	1.40	-	5.32	
	Deduction of doors & ventilators	5	0.75	2.1	-	-7.88	
		5	0.60	0.45	-	-1.35	
						19.44 Sqm	
			Qty limited to			19.43	
			Rate @ Rs 1532.04/ sqm				29308 =
	AE W-09 16/12/19						

Ceramic tiles of
steps and Landings
flush pointing
Rate
AE W-09
16/12/19

OK

Depth 6	Contents 7	Refe to l Measu 8
wn glazed Tiles		
te cement slurry		
-	2.56	
-	9.45	
-	5.04	
-	6.30	
-	5.32	
-	-7.88	
-	-1.35	
	19.44 Sqm	
	19.43	
		29308 =

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494776

From..... To.....

Name of Agency .....

Name of work .....

Description etc. of work	Dimensions				Contents	Reference to last Measurement
	Number 3	Length 4	Breadth 5	Depth 6	7	8
Ceramic Tiles of approved mark, shade and size for flooring skirting and Landings laid on a bed of 12mm thick cement mortar (1:4) and flush pointing with white cement using colour matching cost of materials.						
	2	1.65	1.30	-	4.29	
	2	1.55	1.30	-	4.03	
	1	1.00	1.00	-	1.00	
				TOTAL	9.32	
		Qty Limited to			9.00	
		Rate at Rs 1214.07/Sqm				10927 = 00

M.B. No. W-09
16/12/19

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Ref. to Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
Item-25	providing and fixing white vitreous china clay water closet- Indian type (squatting pan) of size 580mm SOP trap. 10 Litre low level pvc flushing cistern (all are approved make) with fittings c.i / m.s brackets 32mm dia flush.						
		1	-	-	-	1	
		2	-	-	-	2	
						3 nos	
		Rate at Rs 3565.82/nos					10697
Item-26	providing and fixing white vitreous china clay flat back wash basin size 630×450mm with c.i/m.s brackets. 32mm CP brass waste of standard pattern painting of fittings and brackets cutting and making the good						
		2	-	-	-	2 nos	
	AE W-09	Rate at Rs 4011.79/nos					8024=00
	16/12/19						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Ref. to Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
Item-29	providing and fixing in position brass stop cock of approved quality 20mm nominal bore including cost of all materials, labour and hire of equipment with all lead & lift						
		9	-	-	-	9 nos	
		Rate at Rs 165.18/each					1487=00
Item 30	providing and laying in position to required level & slope 150mm internal diameter pipe salt glazed stoneware pipes grade 'A' and jointing with stiff mixture of cement mortar in preparation of 1:1 testing pipes and joints including cost of all materials						
	Sanitary Lines						
		1	29.00	-	-	29.00	
		1	3.00	-	-	3.00	
		1	3.00	-	-	3.00	
					Total	30.00 m	
	AE 6-09 16/12/19	Rate at Rs 364.43/m					10933=00

OOK

th	Depth 6	Contents 7	Ref. to last Measure 8
		of approved quality	
		alg. Labour and tools	
	-	9 nos	
18/	Each		1487=00
		l or slope 150mm inter	
		n and joining with	
		te string pipes and	
	-	24.00	
	-	3.00	
	-	3.00	
	Total	30.00 m	
m			10933=0

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494778

..... From..... To.....

Name of Agency .....

Name of work .....

Description, etc, of work	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
Construction of pavement of unreinforced plain cement concrete pave						
ment as per design over a prepared sub base with ope cement -						
concrete as per clause 705.2.2 design mix M20/M30. with 25mm						
graded course aggrigate						
	1	10.50	1.80	0.10	1.89	
	1	11.00	4.00	0.10	4.40	
	1	27.00	3.00	0.10	8.10	
	2	15.00	2.50	0.10	7.50	
				Total	21.89 cum	
		Rate at	Rs 5365.24/cum			117445=00
			TOTAL BILL AMOUNT			1172927=00

16/12/19

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Ref. to Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
	certificate * contractor has carried his own men & materials for work * There is no due from contractor pertaining to comp. work * contractor has removed all debries from work spot * work has done satisifactorily AE N-09						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	



ME W-09

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97